

Day : Thursday
Date: 5/25/2006

Time: 10:15:27

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = POLK

First Name = CHARLES

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10626022</u>	Not Issued	71	07/24/2003	System and method for interleaving and transmitting forward error correction code words	POLK, CHARLES E.
<u>10667942</u>	Not Issued	71	09/22/2003	System and method for interleaving forward error correction code words across multiple communication connections	POLK, CHARLES E.
<u>10668030</u>	Not Issued	41	09/22/2003	Data communication system and method for selectively implementing forward error correction	POLK, CHARLES E.
<u>11093520</u>	Not Issued	30	03/30/2005	Discrete multi-tone (DMT) system and method that communicates a data pump data stream between a general purpose CPU and a DSP via a buffering scheme	POLK, CHARLES E.
<u>07091615</u>	<u>4852122</u>	150	08/31/1987	MODEM SUITED FOR WIRELESS COMMUNICATION CHANNEL USE	POLK, CHARLES E.
<u>08278293</u>	Not Issued	166	07/21/1994	CONTENTION RESOLUTION METHOD FOR A SHARED ACCESS BUS	POLK, CHARLES E.
<u>08278294</u>	<u>5557735</u>	150	07/21/1994	COMMUNICATION SYSTEM FOR A NETWORK AND METHOD FOR CONFIGURING A CONTROLLER IN A COMMUNICATION NETWORK	POLK, CHARLES E.
<u>08278296</u>	Not Issued	161	07/21/1994	COMMUNICATION SYSTEM WITH SERIAL CONTENTION RESOLUTION AND PARALLEL DATA BUS	POLK, CHARLES E.

<u>08285260</u>	Not Issued	166	08/03/1994	ADVANCED COMMUNICATION SYSTEM ARCHITECTURE	POLK, CHARLES E.
<u>08505425</u>	<u>5845095</u>	150	07/21/1995	METHOD AND APPARATUS FOR STORING AND RESTORING CONTROLLER CONFIGURATION INFORMATION IN A DATA COMMUNICATION SYSTEM	POLK, CHARLES E.
<u>08559887</u>	<u>5661726</u>	150	11/20/1995	ADVANCED COMMUNICATION SYSTEM ARCHITECTURE	POLK, CHARLES E.
<u>08672886</u>	Not Issued	161	06/28/1996	APPARATUS AND METHOD FOR DYNAMIC DESOURCE ALLOCATION IN A COMMUNICATION SYSTEM	POLK, CHARLES E.
<u>09398707</u>	<u>6892339</u>	150	09/20/1999	DISCRETE MULTI-TONE (DMT) SYSTEM AND METHOD THAT COMMUNICATES A DATA PUMP DATA STREAM BETWEEN A GENERAL PURPOSE CPU AND A DSP VIA A BUFFERING SCHEME	POLK, CHARLES E.
<u>09502595</u>	Not Issued	160	02/11/2000	System and method for an automated exchange	POLK, CHARLES W.
<u>09706384</u>	Not Issued	161	11/03/2000	System and method for an automated exchange	POLK, CHARLES W.
<u>09706416</u>	Not Issued	161	11/03/2000	System and method for an automated exchange	POLK, CHARLES W.
<u>11169443</u>	Not Issued	20	06/29/2005	Artificial trading agent that encourages trader participation in automated markets	POLK, CHARLES W.
<u>60584781</u>	Not Issued	159	06/30/2004	Artificial trading agent that encourages trader participation in automated markets	POLK, CHARLES W.
<u>60119888</u>	Not Issued	159	02/12/1999	CALL MARKET FOR TRADING SECURITIES	POLK, CHARLES W.
<u>08827123</u>	<u>5751974</u>	250	03/27/1997	CONTENTION RESOLUTION FOR A SHARED ACCESS BUS	POLK,, CHARLES E.

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1151	(FEC or (forward adj1 error adj1 correction) or ECC) adj2 (unit\$1 or module\$1 or device\$1 or means or codeword\$1)	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 09:47
L2	84	(FEC or (forward adj1 error adj1 correction) or ECC) adj2 (unit\$1 or module\$1 or device\$1 or means or codeword\$1) same (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 09:49
L3	153	(FEC or (forward adj1 error adj1 correction) or ECC) adj2 (system or unit\$1 or module\$1 or device\$1 or means or codeword\$1) same (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 09:50
L4	38	(FEC or (forward adj1 error adj1 correction) or ECC) adj2 (system or unit\$1 or module\$1 or device\$1 or means or codeword\$1) same (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system))) same (permut\$5 or interleav\$4)	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 09:56
L5	22	(FEC or (forward adj1 error adj1 correction) or ECC) adj2 (system or unit\$1 or module\$1 or device\$1 or means or codeword\$1) same ((transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system))) near10 (permut\$5 or interleav\$4))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 09:56
L6	13	(FEC or (forward adj1 error adj1 correction) or ECC) adj2 (system or unit\$1 or module\$1 or device\$1 or means or codeword\$1) near10 ((transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system))) near10 (permut\$5 or interleav\$4))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 09:57
L10	304	((FEC or (forward adj1 error adj1 correction) or ECC) near5 (codeword\$1 or code\$1)) near5 interleav\$4	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 10:00

EAST Search History

L11	57	((FEC or (forward adj1 error adj1 correction) or ECC) adj2 (codeword\$1 or code\$1)) and ((transmi\$5 adj2 (unit\$1 or module\$1 or device\$1 or means or system)) near10 (permut\$5 or interleav\$4))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 10:04
L12	126	((FEC or (forward adj1 error adj1 correction) or ECC) adj2 (codeword\$1 or code\$1)) and ((transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system))) near10 (permut\$5 or interleav\$4))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 10:05
L13	227	((FEC or (forward adj1 error adj1 correction) or ECC) adj2 (codeword\$1 or code\$1)) same (permut\$5 or interleav\$4)) and (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 10:08
L14	98	((FEC or (forward adj1 error adj1 correction) or ECC) adj2 (codeword\$1 or code\$1)) same (permut\$5 or interleav\$4)) same (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 10:09
L15	13	((FEC or (forward adj1 error adj1 correction) or ECC) adj2 (codeword\$1 or code\$1)) near10 (permut\$5 or interleav\$4)) near10 (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/25 10:12
L16	30	((FEC or (forward adj1 error adj1 correction) or ECC) adj2 (codeword\$1 or code\$1)) near10 (permut\$5 or interleav\$4)) near10 (transmitter or (transmission adj2 (unit\$1 or module\$1 or device\$1 or means or system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 10:13
L23	18	polk-c\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 10:23

EAST Search History

L25	36	colman-c\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 10:23
-----	----	----------------	---	----	-----	------------------



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((fec<near/5>code)<near/10>interleaving))<in>metadata)"



Your search matched 21 of 1351285 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **A HARQ scheme for combating burst-errors due to power control gaps in satellite systems**
Wenzhen Li; Choi Look Law; Fan Yang;
[Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE](#)
Volume 4, 25-29 Nov. 2001 Page(s):2703 - 2708 vol.4
Digital Object Identifier 10.1109/GLOCOM.2001.966265
[AbstractPlus](#) | Full Text: [PDF](#)(209 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **An adaptive hybrid-ARQ scheme combating burst-errors caused by power fading in Ka-band LEO satellite systems**
Wenzhen Li; Dubey, V.K.; Choi Look Law;
[Military Communications Conference, 2001. MILCOM 2001. Communications for the Information Age](#)
Volume 1, 28-31 Oct. 2001 Page(s):694 - 699 vol.1
Digital Object Identifier 10.1109/MILCOM.2001.985924
[AbstractPlus](#) | Full Text: [PDF](#)(1137 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **A low complexity FEC scheme based on the intersection of interleaved burst errors**
Pothier, O.; Brunel, L.; Boutros, J.;
[Vehicular Technology Conference, 1999 IEEE 49th](#)
Volume 1, 16-20 May 1999 Page(s):274 - 278 vol.1
Digital Object Identifier 10.1109/VETEC.1999.778060
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Improving wireless link throughput via interleaved FEC**
Ling-Jyh Chen; Sun, T.; Sanadidi, M.Y.; Gerla, M.;
[Computers and Communications, 2004. Proceedings. ISCC 2004. Ninth International Symposium on](#)
Volume 1, 28 June-1 July 2004 Page(s):539 - 544 Vol.1
Digital Object Identifier 10.1109/ISCC.2004.1358548
[AbstractPlus](#) | Full Text: [PDF](#)(606 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **An iterative multiuser decoder for near-capacity communications**
Moher, M.;

[Communications, IEEE Transactions on](#)
 Volume 46, Issue 7, July 1998 Page(s):870 - 880
 Digital Object Identifier 10.1109/26.701309
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(380 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- **6. Statistical multiplexing and QoS provisioning for real-time traffic on wirel**
 Chaskar, H.M.; Madhow, U.;
[Selected Areas in Communications, IEEE Journal on](#)
 Volume 19, Issue 2, Feb 2001 Page(s):347 - 354
 Digital Object Identifier 10.1109/49.914512
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(148 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ┐

7. Traffic multiplexing and service guarantees on a Rayleigh faded wireless
 Chaskar, H.; Madhow, U.;
[Universal Personal Communications, 1998. ICUPC '98. IEEE 1998 Internation:](#)
 Volume 1, 5-9 Oct. 1998 Page(s):463 - 467 vol.1
 Digital Object Identifier 10.1109/ICUPC.1998.733021
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ┐

8. Effect of interleaving and FEC on the throughput of CDMA unslotted ALO
adaptive multiuser receiver
 Okada, H.; Yamazato, T.; Katayama, M.;
[Personal, Indoor and Mobile Radio Communications, 2002. The 13th IEEE Inte](#)
[Symposium on](#)
 Volume 2, 15-18 Sept. 2002 Page(s):941 - 945 vol.2
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ┐

9. Joint beamformer estimation and co-antenna interference cancellation fo
 Sellathurai, M.; Haykin, S.;
[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\).](#)
[International Conference on](#)
 Volume 4, 7-11 May 2001 Page(s):2453 - 2456 vol.4
 Digital Object Identifier 10.1109/ICASSP.2001.940497
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ┐

10. TURBO-BLAST for high-speed wireless communications
 Sellathurai, M.; Haykin, S.;
[Wireless Communications and Networking Conference, 2000. WCNC. 2000 IE](#)
 Volume 1, 23-28 Sept. 2000 Page(s):315 - 320 vol.1
 Digital Object Identifier 10.1109/WCNC.2000.904649
[AbstractPlus](#) | Full Text: [PDF\(444 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ┐

11. A high efficiency channel estimation and equalisation strategy for a broa
system
 Ormondroyd, R.F.; Al-Susa, E.A.;
[Signals, Systems, and Electronics, 1998. ISSSE 98. 1998 URSI International S](#)
 29 Sept.-2 Oct. 1998 Page(s):471 - 475
 Digital Object Identifier 10.1109/ISSSE.1998.738118
[AbstractPlus](#) | Full Text: [PDF\(428 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ┐

12. Improving link layer performance n satellite channels with shadowing v
copy selective repeat ARQ

Jing Zhu; Roy, S.;

Selected Areas in Communications, IEEE Journal on

Volume 22, Issue 3, April 2004 Page(s):472 - 481

Digital Object Identifier 10.1109/JSAC.2004.823411

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(616 KB\)](#) IEEE JNL

[Rights and Permissions](#)

13. **Reconfigurable adaptive FEC system with interleaving**
 Shimizu, K.; Togawa, N.; Ikenaga, T.; Goto, S.;
Design Automation Conference, 2005. Proceedings of the ASP-DAC 2005. As Pacific
 Volume 2, 18-21 Jan. 2005 Page(s):1252 - 1255 Vol. 2
 Digital Object Identifier 10.1109/ASPDAC.2005.1466570
[AbstractPlus](#) | Full Text: [PDF\(301 KB\)](#) IEEE CNF
[Rights and Permissions](#)
14. **Spread spectrum multiple-access with DPSK modulation and diversity for transmission over indoor radio multipath fading channels**
 Bor-Chin Wang; Po-Rong Chang;
Circuits and Systems for Video Technology, IEEE Transactions on
 Volume 6, Issue 2, April 1996 Page(s):200 - 214
 Digital Object Identifier 10.1109/76.488827
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1640 KB\)](#) IEEE JNL
[Rights and Permissions](#)
15. **Effect of interleaving on a Markov channel**
 Rancurel, T.; Roviras, D.; Conan, J.; Castanie, F.;
Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings. 2 International Conference on
 Volume 5, 5-9 June 2000 Page(s):2661 - 2664 vol.5
 Digital Object Identifier 10.1109/ICASSP.2000.861024
[AbstractPlus](#) | Full Text: [PDF\(212 KB\)](#) IEEE CNF
[Rights and Permissions](#)
16. **Motion-based interactive video coding and delivery over wireless IP network**
 Qi Qu; Yong Pei; Xusheng Tian; Modestino, J.W.; Yee Sin Chan;
Communications, 2005. ICC 2005. 2005 IEEE International Conference on
 Volume 2, 16-20 May 2005 Page(s):1195 - 1199 Vol. 2
 Digital Object Identifier 10.1109/ICC.2005.1494536
[AbstractPlus](#) | Full Text: [PDF\(362 KB\)](#) IEEE CNF
[Rights and Permissions](#)
17. **Wireless link shaping for service guarantees**
 Chaskar, H.; Madhow, U.;
Information Theory, 1998. Proceedings. 1998 IEEE International Symposium on
 16-21 Aug. 1998 Page(s):162
 Digital Object Identifier 10.1109/ISIT.1998.708757
[AbstractPlus](#) | Full Text: [PDF\(92 KB\)](#) IEEE CNF
[Rights and Permissions](#)
18. **FEC schemes for ATM traffic over wireless links**
 Tesfai, Y.A.; Wilson, S.G.;
Military Communications Conference, 1996. MILCOM '96, Conference Proceedings
 Volume 3, 21-24 Oct. 1996 Page(s):948 - 953 vol.3
 Digital Object Identifier 10.1109/MILCOM.1996.571422
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)

19. **On a high-speed Reed-Solomon Codec architecture for 43 Gb/s optical transmission**

- └ **systems**
Buerner, T.; Dohmen, R.; Zottmann, A.; Saeger, M.; van Wijngaarden, A.J.;
Microelectronics, 2004. 24th International Conference on
Volume 2, 16-19 May 2004 Page(s):743 - 746 vol.2
[AbstractPlus](#) | Full Text: [PDF\(410 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- └ **20. Triple-mode MAP/VA timing analysis for unified convolutional/turbo decc**
Fan-Min Li; Pei-Ling Shen; An-Yeu Wu;
Signal Processing Systems, 2004. SIPS 2004. IEEE Workshop on
2004 Page(s):280 - 285
Digital Object Identifier 10.1109/SIPS.2004.1363063
[AbstractPlus](#) | Full Text: [PDF\(658 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- └ **21. Reliable wireless multicast using fast low-density codes**
Jin-Hwan Chung; Sung-Eun Kim; Copeland, J.;
Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Se
Volume 2, 22-25 April 2003 Page(s):1218 - 1222 vol.2
[AbstractPlus](#) | Full Text: [PDF\(396 KB\)](#) IEEE CNF
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –